


Relative Maturity:27

Positioning For:



MANAGEMENT COMMENTS

- Respectable Sudden Death Syndrome tolerance.
- Peking source of SCN resistance.
- Avoid fields with a history of heavy white mold pressure
- Above average plant height and canopy allow rapid row closure.

SUITABILITY RATINGS

KEY ENVIRONMENTS

Field Prone to Lodging Highly Suitable

SUITABILITY

SCN-Prone Environments Highly Suitable
 SDS Prone Environments Suitable
 High Residue Suitable

SOILS

Early Planting/Cool Soils (w/SDS) Suitable
 Drought-Prone Soils Highly Suitable
 Poorly Drained Soils Highly Suitable
 High PH Soils Suitable

CHARACTERISTIC SCORES

Field Emergence	7
Phytoph. Field Tol.	3
Iron Def. Chlorosis	4
Canopy Width	6
Plant Height for Maturity	6
Relative Maturity	27
Technology Segment	R
Harvest Standability	7**
Phytoph. Resist. Gene	1k
% Protein at 13% Moisture	32.9

DISEASE & PEST PROTECTION TRAITS

White Mold	3
Sudden Death Syndrome	5
SCN Race 1	9
Brown Stem Rot	
Aphid Antibiosis	A
Phytoph. Resist. Gene	
SCN Race 1	

TRAIT SCORE RATINGS: 9 = Excellent; 1 = Poor. Canopy Width: 9 = Extremely Bushy; 1 = Very Narrow. Plant Height: 9 = Tall; 1 = Short. Blank = Insufficient Data. ** Ratings denoted with a double asterisk (**) reflect preliminary data subject to change when additional data becomes available.