


**Relative Maturity:31**

Positioning For:



**MANAGEMENT COMMENTS**

- Well suited for higher pH environments with known history of iron chlorosis deficiency.
- Solid option for early plant situations where Sudden Death Syndrome is not a concern.
- Canopy type suitable for narrow row spacing.

**SUITABILITY RATINGS**

**KEY ENVIRONMENTS**

Field Prone to Lodging Highly Suitable

**SUITABILITY**

SCN-Prone Environments Highly Suitable

SDS Prone Environments Suitable

High Residue Suitable

**SOILS**

Early Planting/Cool Soils (w/SDS) Suitable

Drought-Prone Soils Suitable

Poorly Drained Soils Suitable

High PH Soils Highly Suitable

**CHARACTERISTIC SCORES**

Harvest Standability	7
Field Emergence	7
Phytoph. Field Tol.	5
Iron Def. Chlorosis	5
Canopy Width	4
Plant Height for Maturity	5
Relative Maturity	31
Technology Segment	R
Phytoph. Resist. Gene	1k
% Protein at 13% Moisture	33.5

**DISEASE & PEST PROTECTION TRAITS**

White Mold	6
Sudden Death Syndrome	5
Brown Stem Rot	
SCN Race 1	
Aphid Antibiosis	A
Phytoph. Resist. Gene	
Iron Def. Chlorosis	
White Mold	

TRAIT SCORE RATINGS: 9 = Excellent; 1 = Poor. Canopy Width: 9 = Extremely Bushy; 1 = Very Narrow. Plant Height: 9 = Tall; 1 = Short. Blank = Insufficient Data. \*\* Ratings denoted with a double asterisk (\*\*) reflect preliminary data subject to change when additional data becomes available.